

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	55	conver\$4 with document with text with (segments or fields)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 13:48
S2	26	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:42
S3	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field near2 value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:48
S4	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field with value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:48
S5	209	(conver\$4 with document with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:49
S6	3	(conver\$4 with document with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:49
S7	201	(conver\$4 with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:53

S8	12	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:54
S9	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:55
S10	2	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identi\$6) with (segments or fields)) and (value with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:55
S11	4	("6104798" or "6643644").pn. or "20030101238"	US-PGPUB; USPAT	OR	OFF	2008/07/28 17:18
S12	1	"6826745".pn.	US-PGPUB; USPAT	OR	OFF	2008/07/29 11:16
S13	1	"20030110090"	US-PGPUB; USPAT	OR	OFF	2008/07/29 13:20
S14	1	"20030110190"	US-PGPUB; USPAT	OR	OFF	2008/07/29 13:20
S15	16	(range\$4 with based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 16:55
S16	4	(range\$4 near2 based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 16:55

S17	4	((range\$4 near2 based) with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 16:56
S18	43	(range\$4 with values with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 17:00
S19	27	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 or name or identifi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 17:01
S20	16	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 17:11
S25	31	(range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 18:11
S26	2	((range\$4 near2 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 18:13
S27	2	((range\$4 near5 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 18:14
S28	5	((range\$4 near5 descript\$4) with (values near5 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 18:14

S29	290	(range\$4 with descript \$4) and (values near2 (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 18:32
S30	2	"20040186817"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 22:28
S31	4	"20020171673" or "6104798".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 09:00
S32	2	"20020171673" or "6104798".pn.	US-PGPUB; USPAT	OR	OFF	2008/07/30 09:00
S33	98	((creat\$4 or generat \$4) near2 file) with smaller with size	US-PGPUB; USPAT	OR	OFF	2008/07/30 09:08
S34	67	((creat\$4 or generat \$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2008/07/30 09:08
S35	17	((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2008/07/30 09:08
S36	2541	707/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:09
S37	3994	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:09
S38	6475	707/102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:09

S39	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identifi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:10
S40	0	S36 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:10
S41	1	S37 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:10
S42	0	S38 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:10
S43	17	((creat\$4 or generat\$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2008/07/30 14:11
S44	0	S36 and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:11
S45	0	S37 and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:11
S46	0	S38 and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:11

S47	67	((creat\$4 or generat\$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2008/07/30 14:11
S48	3	S38 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:11
S49	0	S37 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:11
S50	0	S36 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:12
S51	2	"7152062".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:46
S52	0	(range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:35
S53	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:36
S54	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (medical with history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:36

S55	0	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descripti\$4 or name or identifi\$6) with (segments or fields)) and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:36
S56	1	(conver\$4 with document with (segments or fields)) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:36
S57	61	conver\$4 with document with text with (segments or fields)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S58	27	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S59	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field near2 value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S60	1	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field with value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S61	212	(conver\$4 with document with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40

S62	3	(conver\$4 with document with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S63	207	(conver\$4 with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S64	12	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S65	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identifi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S66	2	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identifi\$6) with (segments or fields)) and (value with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S67	4	("6104798" or "6643644").pn. or "20030101238"	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40
S68	1	"6826745".pn.	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40
S69	1	"20030110090"	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40
S70	1	"20030110190"	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40

S71	16	(range\$4 with based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S72	4	(range\$4 near2 based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S73	4	((range\$4 near2 based) with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S74	43	(range\$4 with values with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S75	27	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 or name or identi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S76	16	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S77	32	(range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S78	2	((range\$4 near2 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40

S79	2	((range\$4 near5 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S80	5	((range\$4 near5 descript\$4) with (values near5 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S81	298	(range\$4 with descript \$4) and (values near2 (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S82	2	"20040186817"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S83	4	"20020171673" or "6104798".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S84	2	"20020171673" or "6104798".pn.	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40
S85	115	((creat\$4 or generat \$4) near2 file) with smaller with size	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40
S86	78	((creat\$4 or generat \$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40
S87	22	((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40
S88	2905	707/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40

S89	4616	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S90	7470	707/102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S91	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identifi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S92	0	S88 and S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S93	1	S89 and S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S94	0	S90 and S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S95	22	((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40
S96	0	S88 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40

S97	0	S89 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S98	0	S90 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S99	78	((creat\$4 or generat \$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40
S100	3	S90 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S101	1	S89 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S102	0	S88 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S103	2	"7152062".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S104	10	(authorized with access with medical with history) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 09:23
S105	1	"7379978".pn.	US-PGPUB; USPAT	OR	OFF	2009/03/27 14:34

S106	61	conver\$4 with document with text with (segments or fields)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S107	27	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S108	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field near2 value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S109	1	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field with value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S110	212	(conver\$4 with document with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S111	3	(conver\$4 with document with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S112	207	(conver\$4 with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S113	12	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23

S114	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S115	2	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identi\$6) with (segments or fields)) and (value with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S116	4	("6104798" or "6643644").pn. or "20030101238"	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:23
S117	1	"6826745".pn.	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:23
S118	1	"20030110090"	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:23
S119	1	"20030110190"	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:23
S120	16	(range\$4 with based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S121	4	(range\$4 near2 based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S122	4	((range\$4 near2 based) with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23

S123	43	(range\$4 with values with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S124	27	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 or name or identifi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S125	16	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S126	32	(range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S127	2	((range\$4 near2 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S128	2	((range\$4 near5 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S129	5	((range\$4 near5 descript\$4) with (values near5 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S130	298	(range\$4 with descript\$4) and (values near2 (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23

S131	2	"20040186817"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S132	4	"20020171673" or "6104798".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S133	2	"20020171673" or "6104798".pn.	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:23
S134	115	((creat\$4 or generat \$4) near2 file) with smaller with size	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:23
S135	78	((creat\$4 or generat \$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:23
S136	22	((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:23
S137	2911	707/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S138	4622	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S139	7490	707/102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S140	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identifi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23

S141	0	S137 and S140	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S142	1	S138 and S140	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S143	0	S139 and S140	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S144	22	((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:23
S145	0	S137 and S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S146	0	S138 and S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S147	0	S139 and S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S148	78	((creat\$4 or generat \$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:23
S149	3	S139 and S148	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23

S150	1	S138 and S148	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S151	0	S137 and S148	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S152	2	"7152062".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S153	0	(range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S154	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S155	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (medical with history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S156	0	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identifi\$6) with (segments or fields)) and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23

S157	1	(conver\$4 with document with (segments or fields)) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S158	61	conver\$4 with document with text with (segments or fields)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S159	27	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S160	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field near2 value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S161	1	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field with value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S162	212	(conver\$4 with document with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S163	3	(conver\$4 with document with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S164	207	(conver\$4 with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23

S165	12	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S166	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S167	2	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identi\$6) with (segments or fields)) and (value with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S168	4	("6104798" or "6643644").pn. or "20030101238"	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:23
S169	1	"6826745".pn.	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:23
S170	1	"20030110090"	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:23
S171	1	"20030110190"	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:23
S172	16	(range\$4 with based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S173	4	(range\$4 near2 based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23

S174	4	((range\$4 near2 based) with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S175	43	(range\$4 with values with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S176	27	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 or name or identifi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S177	16	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S178	32	(range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S179	2	((range\$4 near2 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S180	2	((range\$4 near5 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S181	5	((range\$4 near5 descript\$4) with (values near5 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23

S182	298	(range\$4 with descript \$4) and (values near2 (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S183	2	"20040186817"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S184	4	"20020171673" or "6104798".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S185	2	"20020171673" or "6104798".pn.	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:23
S186	115	((creat\$4 or generat \$4) near2 file) with smaller with size	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:23
S187	78	((creat\$4 or generat \$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:23
S188	22	((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:23
S189	2911	707/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S190	4622	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:23
S191	7490	707/102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:24

S192	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:24
S193	0	S189 and S192	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:24
S194	1	S190 and S192	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:24
S195	0	S191 and S192	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:24
S196	22	((creat\$4 or generat\$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:24
S197	0	S189 and S196	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:24
S198	0	S190 and S196	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:24
S199	0	S191 and S196	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:24

S200	78	((creat\$4 or generat\$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:24
S201	3	S191 and S200	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:24
S202	1	S190 and S200	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:24
S203	0	S189 and S200	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:24
S204	2	"7152062".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:24
S205	10	(authorized with access with medical with history) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/28 10:24
S206	1	"7379978".pn.	US-PGPUB; USPAT	OR	OFF	2009/03/28 10:24
S207	1	((text near3 range) with based) and (table with database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/20 13:16
S208	10	((text near3 range) with based) and (table and database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/20 13:18

S209	251	((text near2 range)) and (table and database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/20 13:49
S210	2	((text near2 range) with compar\$4) and (table and database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/20 13:52
S211	46	((text adj range)) and (table and database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/20 13:59
S212	112	((text adj string\$1) with compar\$4) and (table and database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/20 14:14
S213	1	((text adj string\$1) with compar\$4 with range) and (table and database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/20 14:14
S214	12	((text adj string\$1) with compar\$4 with based) and (table and database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/20 14:17
S215	12	((text adj string\$1) with compar\$4 with between) and (table and database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/20 15:03
S216	2	"7194684".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/21 14:23

S217	2	((text adj string\$1 with (high\$3 or low\$3) with range) and (table with database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/21 14:37
S218	65	conver\$4 with document with text with (segments or fields)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S219	27	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S220	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field near2 value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S221	1	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field with value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S222	215	(conver\$4 with document with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S223	3	(conver\$4 with document with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S224	211	(conver\$4 with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47

S225	12	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S226	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S227	2	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identi\$6) with (segments or fields)) and (value with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S228	4	("6104798" or "6643644").pn. or "20030101238"	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S229	1	"6826745".pn.	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S230	1	"20030110090"	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S231	1	"20030110190"	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S232	16	(range\$4 with based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S233	4	(range\$4 near2 based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47

S234	4	((range\$4 near2 based) with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S235	44	(range\$4 with values with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S236	28	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 or name or identifi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S237	16	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S238	33	(range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S239	2	((range\$4 near2 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S240	2	((range\$4 near5 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S241	5	((range\$4 near5 descript\$4) with (values near5 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47

S242	305	(range\$4 with descript \$4) and (values near2 (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S243	2	"20040186817"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S244	4	"20020171673" or "6104798".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S245	2	"20020171673" or "6104798".pn.	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S246	141	((creat\$4 or generat \$4) near2 file) with smaller with size	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S247	92	((creat\$4 or generat \$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S248	28	((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S249	0	707/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S250	0	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S251	0	707/102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47

S252	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S253	0	S249 and S252	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S254	0	S250 and S252	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S255	0	S251 and S252	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S256	28	((creat\$4 or generat\$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S257	0	S249 and S256	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S258	0	S250 and S256	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S259	0	S251 and S256	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47

S260	92	((creat\$4 or generat\$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S261	0	S251 and S260	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S262	0	S250 and S260	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S263	0	S249 and S260	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S264	2	"7152062".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S265	0	(range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S266	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S267	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (medical with history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47

S268	0	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identi\$6) with (segments or fields)) and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S269	1	(conver\$4 with document with (segments or fields)) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S270	65	conver\$4 with document with text with (segments or fields)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S271	27	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S272	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field near2 value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S273	1	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field with value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S274	215	(conver\$4 with document with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47

S275	3	(conver\$4 with document with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S276	211	(conver\$4 with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S277	12	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S278	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identifi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S279	2	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identifi\$6) with (segments or fields)) and (value with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S280	4	("6104798" or "6643644").pn. or "20030101238"	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S281	1	"6826745".pn.	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S282	1	"20030110090"	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S283	1	"20030110190"	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47

S284	16	(range\$4 with based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S285	4	(range\$4 near2 based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S286	4	((range\$4 near2 based) with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S287	44	(range\$4 with values with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S288	28	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 or name or identi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S289	16	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S290	33	(range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S291	2	((range\$4 near2 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47

S292	2	((range\$4 near5 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S293	5	((range\$4 near5 descript\$4) with (values near5 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S294	305	(range\$4 with descript \$4) and (values near2 (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S295	2	"20040186817"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S296	4	"20020171673" or "6104798".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S297	2	"20020171673" or "6104798".pn.	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S298	141	((creat\$4 or generat \$4) near2 file) with smaller with size	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S299	92	((creat\$4 or generat \$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S300	28	((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S301	0	707/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47

S302	0	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S303	0	707/102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S304	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identifi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S305	0	S301 and S304	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S306	0	S302 and S304	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S307	0	S303 and S304	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S308	28	((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S309	0	S301 and S308	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47

S310	0	S302 and S308	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S311	0	S303 and S308	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S312	92	((creat\$4 or generat \$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S313	0	S303 and S312	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S314	0	S302 and S312	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S315	0	S301 and S312	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S316	2	"7152062".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S317	10	(authorized with access with medical with history) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S318	1	"7379978".pn.	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47

S319	65	conver\$4 with document with text with (segments or fields)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S320	27	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S321	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field near2 value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S322	1	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field with value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S323	215	(conver\$4 with document with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S324	3	(conver\$4 with document with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S325	211	(conver\$4 with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S326	12	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47

S327	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S328	2	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identi\$6) with (segments or fields)) and (value with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S329	4	("6104798" or "6643644").pn. or "20030101238"	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S330	1	"6826745".pn.	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S331	1	"20030110090"	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S332	1	"20030110190"	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:47
S333	16	(range\$4 with based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S334	4	(range\$4 near2 based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S335	4	((range\$4 near2 based) with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47

S336	44	(range\$4 with values with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S337	28	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 or name or identifi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S338	16	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S339	33	(range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S340	2	((range\$4 near2 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S341	2	((range\$4 near5 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S342	5	((range\$4 near5 descript\$4) with (values near5 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S343	305	(range\$4 with descript\$4) and (values near2 (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47

S344	2	"20040186817"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S345	4	"20020171673" or "6104798".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:47
S346	2	"20020171673" or "6104798".pn.	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:48
S347	141	((creat\$4 or generat \$4) near2 file) with smaller with size	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:48
S348	92	((creat\$4 or generat \$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:48
S349	28	((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:48
S350	0	707/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S351	0	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S352	0	707/102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S353	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identifi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48

S354	0	S350 and S353	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S355	0	S351 and S353	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S356	0	S352 and S353	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S357	28	((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:48
S358	0	S350 and S357	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S359	0	S351 and S357	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S360	0	S352 and S357	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S361	92	((creat\$4 or generat \$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:48
S362	0	S352 and S361	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48

S363	0	S351 and S361	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S364	0	S350 and S361	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S365	2	"7152062".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S366	0	(range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S367	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S368	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (medical with history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S369	0	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identifi\$6) with (segments or fields)) and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48

S370	1	(conver\$4 with document with (segments or fields)) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S371	65	conver\$4 with document with text with (segments or fields)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S372	27	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S373	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field near2 value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S374	1	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field with value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S375	215	(conver\$4 with document with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S376	3	(conver\$4 with document with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S377	211	(conver\$4 with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48

S378	12	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S379	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S380	2	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identi\$6) with (segments or fields)) and (value with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S381	4	("6104798" or "6643644").pn. or "20030101238"	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:48
S382	1	"6826745".pn.	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:48
S383	1	"20030110090"	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:48
S384	1	"20030110190"	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:48
S385	16	(range\$4 with based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S386	4	(range\$4 near2 based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48

S387	4	((range\$4 near2 based) with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S388	44	(range\$4 with values with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S389	28	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 or name or identifi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S390	16	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S391	33	(range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S392	2	((range\$4 near2 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S393	2	((range\$4 near5 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S394	5	((range\$4 near5 descript\$4) with (values near5 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48

S395	305	(range\$4 with descript \$4) and (values near2 (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S396	2	"20040186817"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S397	4	"20020171673" or "6104798".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S398	2	"20020171673" or "6104798".pn.	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:48
S399	141	((creat\$4 or generat \$4) near2 file) with smaller with size	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:48
S400	92	((creat\$4 or generat \$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:48
S401	28	((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:48
S402	0	707/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S403	0	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S404	0	707/102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48

S405	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S406	0	S402 and S405	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S407	0	S403 and S405	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S408	0	S404 and S405	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S409	28	((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:48
S410	0	S402 and S409	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S411	0	S403 and S409	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S412	0	S404 and S409	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48

S413	92	((creat\$4 or generat \$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:48
S414	0	S404 and S413	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S415	0	S403 and S413	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S416	0	S402 and S413	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S417	2	"7152062".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S418	10	(authorized with access with medical with history) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S419	1	"7379978".pn.	US-PGPUB; USPAT	OR	OFF	2010/03/22 21:48
S420	1	((text near3 range) with based) and (table with database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S421	10	((text near3 range) with based) and (table and database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48

S422	252	((text near2 range)) and (table and database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S423	2	((text near2 range) with compar\$4) and (table and database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S424	46	((text adj range)) and (table and database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S425	112	((text adj string\$1) with compar\$4) and (table and database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S426	1	((text adj string\$1) with compar\$4 with range) and (table and database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S427	12	((text adj string\$1) with compar\$4 with based) and (table and database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S428	12	((text adj string\$1) with compar\$4 with between) and (table and database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
S429	2	"7194684".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48

S430	2	((text adj string\$1) with (high\$3 or low\$3) with range) and (table with database) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/22 21:48
------	---	---	---	----	-----	---------------------

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3744015	medical data records history field value associated authorized user text-based range- based descriptor text-string	USPAT; UPAD	OR	OFF	2010/03/23 12:31
L2	0	medical data records history field value associated authorized user text-based range- based descriptor text-string	USPAT; UPAD	AND	OFF	2010/03/23 12:32

3/ 23/ 2010 12:32:43 PM**C:\Documents and Settings\klu\My Documents\EAST\Workspaces\ 10727184a.wsp**